


SAFETY DATA SHEET (SDS)	
SECTION 1: PRODUCT AND COMPANY IDENTIFICATION	
MANUFACTURER/INITIAL SUPPLIER IDENTIFIER GENYK Inc. 1701, 3 rd Avenue, Shawinigan, QC, G9T2W6 Phone: 819-729-0395 / Fax: 819-729-0383	PRODUCT NAME AND RECOMMENDED USE Identifier/Trade Name: Elite A- PMDI Chemical Name: Aromatic Isocyanate Chemical family: Isocyanate Use & Restrictions: Component of a polyurethane system
Emergency Telephone number	CANUTEC 24-Hour number 613-996-6666 CHEMTREC 24-Hour number 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION	
Classification of the Hazardous Product (Name of the Category or Subcategory of the Hazard Class)	ACUTE TOXICITY, INHALATION – Category 4 SKIN CORROSION / IRRITATION – Category 2 SERIOUS EYE DAMAGE / EYE IRRITATION – Category 2B RESPIRATORY SENSITIZATION – Category 1 SKIN SENSITIZATION – Category 1 SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE (RESPIRATORY SYSTEM) – Category 3
Hazardous Pictograms	
Signal Word (GHS)	Danger
Hazardous Statements	H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H320 – Causes eye irritation. H332 – Harmful if inhaled. H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 – May cause respiratory irritation.
Precautionary Statements	P261 – Avoid breathing dust/fume/mist/vapours/spray. P264 – Wash skin thoroughly after handling. P271 – Use only outdoors or in a well-ventilated area. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 – [In case of inadequate ventilation] wear respiratory protection. P302 + P352 – IF ON SKIN: wash with plenty of water. P304 + P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 – Call a POISON CENTER/doctor if you feel unwell. P333 + P313 – If skin irritation or rash occurs: Get medical advice/attention. P337 + P313 – IF eye irritation persists: Get medical attention. P342 + P311 – If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P362 + P364 – Take off contaminated clothing and wash it before reuse. P403 + P233 – Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 – Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other Hazard Known	None
--------------------	------

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS		
Chemical name (common name / synonyms)	CAS # or other	Concentration (%)
Diphenylmethane 4,4'-diisocyanate	101-68-8	30 - 60
Polymethylene polyphenylene isocyanate	9016-87-9	60 - 100
All ingredients are listed according to OSHA (29 CFR). *Statement – This Safety Data Sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).		

SECTION 4: FIRST-AID MEASURES	
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a doctor if you feel unwell.
Most Important Symptoms and Effects (Acute or Delayed)	Causes skin irritation. Causes serious eye irritation.
Indication of Immediate Medical Attention / Special Treatment	In all cases, call a doctor. Do not forget this document.

SECTION 5: FIRE-FIGHTING MEASURES	
Specific Hazards of the Hazardous Product (Hazardous Combustion Products)	Carbon oxides and other irritant/toxic gases and fumes.
Suitable and Unsuitable Extinguishing Media	In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.
Special Protective Equipment and Precaution for Fire-fighters	During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

SECTION 6: ACCIDENTAL RELEASE MEASURES	
Personal Precautions, Protective Equipment and Emergency Procedures	Absorb spillage to prevent material-damage. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).
Methods and Material for Containment and Clean-up	Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

SECTION 7: HANDLING AND STORAGE	
Storage Temperature	10.0 – 37.8 °C (50 –100 °F)
Shelf Life	12 months
Precautions for Safe Handling	Wear protective gloves/ protective clothing/ eye protection/ face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.
Conditions for Safe Storage, Including any Incompatibilities	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

SECTION 8: EXPOSURE CONTROL / INDIVIDUAL PROTECTION	
Control Parameters (biological limit values or Exposure Limit Values and Sources of those Values)	Exposure limits: CAS 101-68-8 ACGIH – TLV – TWA 0.005ppm; CAS 9016-87-9 ACGIH – OSHA Z1 0.02ppm
Appropriate Engineering Controls	Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.
Individual Protection measures / Personal Protective Equipment	Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance, Physical State / Colour	Brown liquid	Vapour Pressure	0.00001 mmHg at 20°C
Odour	Characteristic	Vapour Density	Not available
Odour Threshold	Not available	Relative Density	Not available
pH	Not available	Solubility	Not available
Melting /Freezing Point	Not available	Partition Coefficient – n-octanol/water	Not available
Initial Boiling Point / Range	Not available	Auto-Ignition Temperature	Not available
Flash Point	Close cup: > 150°C (>302 °F) Open cup: 230°C (446 °F)	Decomposition Temperature	Not available
Evaporation Rate	Not available	Specific Gravity	1.22 – 1.25
Flammability (Solids and Gases)	Not available	Viscosity	150 to 250 cps
Upper and Lower Flammability / Explosive limits	Not available	VOC	Not available
Other	None known		

SECTION 10: STABILITY AND REACTIVITY	
Reactivity	Does not react under the recommended storage and handling conditions prescribed.
Chemical Stability	Stable under the recommended storage and handling conditions prescribed
Possibility of Hazardous Reactions	Reaction with water (moisture) produces CO ₂ gas. Exothermic reaction with materials containing active hydrogen groups. The reaction becomes progressively more vigorous and can be violent at higher temperatures if the miscibility of the reaction partners is good or is supported by stirring or by the presence of solvents. MDI is insoluble with, and heavier than water and sinks to the bottom but reacts slowly at the interface. A solid water-insoluble layer or polyurea is formed at the interface by liberating carbon dioxide gas.
Conditions to Avoid (Static Discharge, Shock or Vibration)	Avoid high temperatures.
Incompatible Materials	Water, alcohols, amines, bases and acids.
Hazardous Decomposition Products	Combustion products may include: Carbon oxides (CO, CO ₂) nitrogen oxides (NO, NO ₂) hydrocarbons and HCN.

SECTION 11: TOXICOLOGICAL INFORMATION		
Information on the Likely Routes of Exposure (Inhalation, Ingestion, Skin and Eye Contact)	Causes skin irritation. Causes eye irritation. May cause respiratory tract irritation. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.	
Symptoms Related to the Physical, Chemical and Toxicological Characteristics	Skin irritation, redness, itching, swelling, rash. Eye irritation, redness, tearing, stinging, swelling. Respiratory tract burn, coughing, shortness of breath	
	Skin Sensitization	Possible
	Respiratory Sensitization	Possible
	Germ Cell Mutagenicity	No data available
	Carcinogenicity	No data available
	Reproductive Toxicity	No data available
	Specific Target Organ Toxicity-Single Exposure	Causes temporary irritation of the respiratory tract.
	Specific Target Organ Toxicity-Repeated Exposure	No data available
	Aspiration Hazard	No data available
	Health Hazard not Otherwise Classified	No data available
Numerical Measures of Toxicity (ATE; LD ₅₀ & LC ₅₀)	LD ₅₀ Oral - Rat – > 10,000 mg/kg LC ₅₀ Inh. - Rat – 1.36 mg/l 4hr; ATE not available in this document.	

SECTION 12: ECOLOGICAL INFORMATION	
Ecotoxicity (Aquatic and Terrestrial Information)	No data available for this product
Persistence and Degradability	No data available
Bioaccumulative Potential	No data available
Mobility in Soil	No data available
Other Adverse Effects	No data available

SECTION 13: DISPOSAL CONSIDERATION	
Information on Safe Handling for Disposal / Methods of Disposal / Contaminated Packaging	Dispose of contents/container into safe container in accordance with local, regional or national regulations.

SECTION 14: TRANSPORTATION INFORMATION	
UN Number ; Proper Shipping Name; Class(es) ; Packing Group (PG) of the TDG Regulations	NOT REGULATED
UN Number ; Proper Shipping Name; Class(es) ; Packing Group (PG) of the IMDG (Maritime)	NOT REGULATED
Sea Transport IMDG UN Number ; Proper Shipping Name; Class(es) ; Packing Group (PG) of the IATA (Air)	NOT REGULATED
Special Precautions (Transport / Conveyance)	None
Environmental Hazards (IMDG or other)	Refer to Section 12.
Bulk Transport (usually more than 450 L in capacity)	Possible

SECTION 15: REGULATORY INFORMATION	
Safety / Health Canadian Regulations Specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian Regulations Specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety / Health / Environmental Outside Regulations Specifics	<p>United States OSHA information: This product is regulated according to OSHA (29 CFR).</p> <p>United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.</p> <p>United States TCSA information: Refer to the ingredients listed in Section 3.</p> <p>National Fire Protection Association (NFPA): HEALTH: 2 FLAMMABILITY: 1 INSTABILITY: 1</p> <p>SPECIAL HAZARDS: Refer to Section 2 & 3.</p> <p>HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe</p> <p>Proposition 65: This product does not contain a chemical known to the State of California to cause cancer or other reproductive harm.</p>

SECTION 16: OTHER INFORMATION	
Date of the Latest Revision of the Data Sheet	February 10 th , 2023 version 2 (Genyk Inc.)
Corrections	New SDS template
References	Safety Data Sheets from manufacturer/supplier.
Abbreviations	<p>ACGIH : American Conference of Governmental Industrial Hygienists</p> <p>ATE : Acute Toxicity Estimate</p> <p>CAS: Chemical Abstract Service</p> <p>DSL: Domestic Substance List</p> <p>IARC : International Agency for Research on Cancer</p> <p>IATA : International Air Transport Association</p> <p>IMDG : International Maritime Dangerous Goods Code</p> <p>LC : Lethal Concentration</p> <p>LD : Lethal Dosage</p> <p>NIOSH : National Institute for occupational Safety and Health</p> <p>NTP: National Toxicology Program (U.S.A)</p> <p>OSHA: Occupational Safety and Health Administration (U.S.A)</p> <p>PEL: Permissible Exposure Limit</p> <p>STEL: Short-term Exposure Limit</p> <p>TDG : Transport of Dangerous Goods in Canada</p> <p>TLV : Threshold Limit Value</p> <p>TSCA : Toxic Substance Control Act</p> <p>TWA : Time Weighted Average</p> <p>WHMIS : Workplace Hazardous Materials Information System</p>

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.